

CONTACT INFORMATION

INDUS MOTOR COMPANY LIMITED
PLOT NO. N.W.Z/1/P-1, PORT QASIM AUTHORITY
KARACHI, PAKISTAN.
PHONE: +92-21-34721100
UAN: +92-111-86-96-82 (+92-111-TOYOTA)
FOR MORE INFORMATION SMS "YARIS" TO 8398

CUSTOMER ASSISTANCE CENTRE

TOLL FREE: 0800-11123
EMAIL: CUSTOMER.RELATIONS@TOYOTA-INDUS.COM

WWW.TOYOTA-INDUS.COM
TOYOTAPAKISTANOFFICIAL I @@TOYOTAPAK



















YARIS IS SHARP

Multi-information display uses a 4.2 inch TFT display to

give a sense of advance technology. Meters are

designed not only to appear advanced and

modern but also to provide high visibility.

DOOR OPEN & CLOSE ALERT



ECO WALLET RECORD




FUEL ECONOMY RECORD



DRIVE INFO

_1:23	AVG.	44.4 km/L
D.	⊕TOTAL	44 h 44 m
MODE	(AVG.	444 km/h
OUTSIDE 32℃	A	4444 km






YARIS IS VERSATILE

Yaris transforms itself based on your driving preference. Activating the Sport mode increases the engine speed more quickly during acceleration. While Eco mode offers maximum fuel efficiency.

ECO MODE

SPORT






YARIS IS COOL

















ENGINE TYPE 1NR-F
NO. CYLS. & ARRANGEMENT 4

VALVE MECHANISM 16 VALVE
DISPLACEMENT (CC) 1329

COMPRESSION RATIO
MAX. OUTPUT (KW(HP)/RPM) 73/(97.8)/6000

MAX.TORQUE (NM/RPM)


1NR-FE 2NR-FE
4 CYLINDERS, IN-LINE
16 VALVE DOHC WITH DUAL VVT-I
1329 1496
11.5
73/(97.8)/6000 79(105.9)/6000
123/4200 140/4200





5 Speed Manual Transmission


Smooth shifting provides excellent driving performance and fuel efficiency.



7 Speed Continous Variable Transmission Ensures a high level of fuel efficiency and smooth, powerful acceleration due to an integrated

engine and CVT control system.












Yaris Traction Control aids in maintaining the drive power and stops the brakes from spinning. The Hill Start Control achieves responsive driving performance by limiting unnecessary upshifting while driving uphill and generating appropriate engine brake force for driving downhill.









SPECIFICATIONS SHEET

		1.3L GLI MT	1.3L GLI CVT	1.3L ATIV MT	1.3L ATIV CVT	1.5L ATIV X MT	1.5L ATIV X CVT
DIMENSIONS			-				
Exterior L x W x H	(mm)			4425 x 1	730 x 1475		
Wheel Base	(mm)				550		
Minimum Turning Radius (Tire)	(m)				5.1		
Luggage Compartment Capacity	Ltr	476					
ENGINE SPECIFICATION	10474						
Displacement	(cc)		-13	329			1496
Engine Code	(90)			R -FE		2NR - FE	
Engine Type			- 100	DESCRIPTION OF THE PROPERTY OF	ers, In-Line	1 5	311 14
Fuel Supply System					ort Fuel Injection (SFI)		
Valve Train					drive (with Dual VVT-i)		
Maximum Output	kW(HP)/rpm		79 (97	.8)/6000	TOTAL PROPERTY OF	79/1	05.9)/6000
Maximum Torque	Nm/rpm		101 H 30 W	/4200		10000	10/4200
PERFORMANCE	Minight		11200	4200			10/1600
PENFORMANCE	And to the Brooking				NAME OF THE OWNER O		
Braking Swetom	Anti-lock Braking System (ABS with EBD)				0		
Braking System	Brake Assist (BA)				0		
	Front			Montile	ted Discs		
Brake Disc Type	Rear			74.604.666	rum		
	nuar	200 T 100 V	7. Coard CUT/Coart	1 102102 102002 10	Transfer Tra	T 5.00 MM T	7 Connd CVIT/Conn
Transmission		5 Speed Manual Transmission	7- Speed CVT/Sport Sequential Shiftmatic System	5 Speed Manual Transmission	7- Speed CVT/Sport Sequential Shiftmatic System	5 Speed Manual Transmission	7- Speed CVT/Spor Sequential Shiftmati System
Sports Mode		X Oystem Oystem					
Eco Mode		X 0					
	Front			MacPhe	erson Strut		-
Suspension	Rear	Torsion Beam					
Steering System				Electric Powe	r Steering (EPS)		
Tires Size				185	60R15		
Wheel Type		Steel Wheels W	ith Full Wheel Caps		15" Aluminu	m Alloy Rims	
Fuel Tank	Ltr				42L	- 12	
EXTERIOR							
Front Radiator Grille		Pigr	mented		Partial Chr	ome Plating	
	Lamp Type	4 BEAM HALOGEN					
Front Headlamps	Daytime Running Lamp			X	INCOUCH		0
Front Fog Lamps	The state of the s	i i			0		
Rear Lamp				With LED	Line Guide		
Colored Outside Door Handles		Body Colored Chrome (with smart switch)				ith smart switch)	
Colored Side View Mirrors with Turn Lamp		0 Undite (was smart switch				miletining entropy	
Windshield			Laminat	ted Green		Laminated	Green (Acoustic)
Intermittent Windshield Wipers					0		
Antenna				Sho	rt Pole		
Rear Chrome Garnish			X			0	
INFOTAINMENT						76	
		In-dash Touch Audio System with 3 Lines LCD Display (including ,advanced Bluetooth (2 phones hands-free ready, 5 phones seamless music streaming). MP3, CD Playable, Radio, USB and AUX Connectivity) In-dash infotainment with 6.8' capacitive toucl (Including, advanced Bluetooth (2 phones hands-free ready, 5 phones seamless music streaming) DVD/VCD Playable, USB, 2 way wired Mirro Radio and AUX Connectivity)					uetooth (2 phones hands-fre ess music streaming), MP3,
Car Infotainment System		ready, 5 phones sea	amess music streaming), wir	5, GD Playable, hadio, USB	and NON CONTROLLINGY	A SALES OF THE PROPERTY OF THE	Control of the Contro
Car Infotainment System Rear Camera		ready, 5 phones sea	amess music streaming), wir	X	and non connectivity)	A SALES OF THE PROPERTY OF THE	

		1.3L GLI MT	1.3L GLI CVT	1.3L ATIV MT	1.3L ATIV CVT	1.5L ATIV X MT	1.5L ATIV X CVT	
NTERIOR								
ir Conditioner + Heater				O .		Auto AC with	Climate control	
Aulti Information Display		0					r TFT Display	
outside Temperature Display				73	0			
peedometer		A	nalog Meter	Advanced 0	Optitron Meter			
achometer				7.	0	THE STATE OF THE S		
conomy Meter		X	ECO LAMP	X	ECO LAMP	X	ECO Lamp with Zon	
rush Start System				×			0	
Wirnings Voy	Door				Smart Key			
Wireless Key	Remote Trunk Opener	6						
iteering Wheel	Wheel	3 Spoke						
nacing whos	Column	Tilt						
teering Wheel Switches			×	The state of the s	Audio + Bluetooth Switch		Bluetooth Switch	
eat Material			Fabric	Fabric with	h Stitch Design	Premium Fabric	with Stitch Design	
lear Headrest			10000000	38	Separate			
luminated Entry System					0			
ower Windows					0			
nterior Color Scheme					lvory			
loor Trim Ornament		Canadani	PI NORTH CO.		abric			
Sear Shift Lever		Standard	Gate Type	Standard with Plano Black Plating	Gate Type with Plano Black Plating	Standard with Silver Plating	Gate Type with Silve Plating	
nside Door Handle		Pigmentation		Silv	Silver Paint		rome	
oot Rest		*	0.501110991100000		0		7******	
loor Mat					0			
entral Door Locking					0			
ront Personal Lamp					0			
toom Lamp					0			
un Visor					0			
anity Mirror				Driver 4	- Passenger			
enter Console Box				3,70,701	0			
ront Power Outlet [12 V]					0			
lear Power Outlets					X			
ligital Clock					0			
SAFETY								
RS Airbag				Driver	Passenger			
ey Reminder Warning				Differing.	0			
IIII-Starting Assist System								
ehicle Stability Control with Traction Control								
uel Auto Cut					0			
A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	Front		Dr	iver + Passenger 3 Point FLR	with Pretensioner and Force I	imiter		
eat Belt	Rear				er: 3 Point ELR	SILLINGS.		
SOFIX Child Seat Anchors	1,000			o i nootily	0			
inti-theft system		With	(Immobilizer)		With (Alarm)	& Immobilizer)	1	
ight Reminder Warning		- 1000	Turnosurori	1	0	a nonceament		







